

**Amendments to the Claims**

This listing of claims will replace all prior versions of claims in the present application.

**LISTING OF CLAIMS:**

1.-5. (Canceled)

6. (Currently Amended) A communication device comprising:

~~operation input~~ means for receiving a request command from a user that requests transmission of contents;

~~cache memory~~ means for temporarily storing data;

content storage means composed of nonvolatile memory; and

a processor ~~configured to receives~~ said transmitted contents and storage control information associated with said contents;

said processor ~~operable~~, in response to receipt of said contents ~~to writes~~ said contents only in said ~~cache memory~~ means for temporarily storing data when said storage control information is indicative that said contents are for trial use and should be stored temporarily, or writes said contents in said content storage means when said storage control information is indicative that said contents should remain stored in said communication device;

said processor ~~further operable~~, after said contents are stored in said ~~cache memory~~ means for temporarily storing data, ~~to processes~~ or ~~executes~~ said

contents automatically for trial use, absent receipt of any command initiated by a user;  
and

said processor ~~further operable~~, in accordance with said storage control information associated with said contents, and ~~responsive~~ in response to receipt of a store command ~~received~~ initiated by ~~from~~ said user via with ~~said operation input means~~ for receiving a request command from a user, ~~to reads~~ said contents from said ~~cache~~ memory means for temporarily storing data, and ~~to writes~~ said contents in said content storage means.

7. (Canceled)

8. (Currently Amended) A communication device according to Claim 6,  
wherein:

said processor ~~is further operable to~~ determines whether a size of a free space of said content storage means is equal to, or greater than, a data size of said contents stored in said ~~cache memory~~ means for temporarily storing data; and

in response to said size of said free space of said content storage means being equal to, or greater than, said data size of said contents stored in said ~~cache~~ memory means for temporarily storing data, said processor ~~further operable to~~ writes said contents processed or executed by said processor in said content storage means after reading said contents from said ~~cache memory~~ means for temporarily storing data.

9. (Currently Amended) A communication device according to Claim 8,  
wherein:

in response to said size of said free space of said content storage means  
being smaller than said data size of said contents stored in said ~~cache memory~~ means  
for temporarily storing data, said processor is ~~further operable to prompts~~ a user to  
delete one or more other contents stored in said content storage means; and

when, in response to said prompt, a command is received via said  
~~operation input means~~ for receiving a request command from a user to delete said one  
or more other contents stored in said content storage means, said processor ~~is further~~  
~~operable to determines~~ if, after deletion of said one or more other contents, said free  
space of said content storage means will be equal to, or greater than, said data size of  
said contents, and said processor ~~further operable to provides~~ indication thereof to a the  
user.

10. (Currently Amended) The communication device of claim 6, wherein said  
processor ~~is further operable to deletes~~ said contents that were stored in said ~~cache~~  
~~memory~~ means for temporarily storing data when said processor exits said contents that  
were being processed or executed by said processor.

11. (Currently Amended) A computer readable storage medium storing a  
program executed by ~~for causing~~ a computer having ~~operation input means~~ for receiving  
a command manually input by a user, ~~cache memory~~ means for temporarily storing

contents, and content storage means composed of nonvolatile memory, said computer readable storage medium program comprising:

code executed as a receiving process to receive contents and storage control information;

code executed as a first writing process to write said contents only in said ~~cache memory~~ means for temporarily storing content when said contents are received in said receiving process and said storage control information indicates that said contents are for trial use and should be stored temporarily;

code executed as a content using process to process or execute said contents automatically on a trial basis, absent receipt of a command initiated by a user, after said contents are written in said ~~cache memory~~ means for temporarily storing content in said first writing process; and

code executed as a second writing process to read said contents from said means for temporarily storing content and write said contents in said content storage means ~~after said contents are read from said cache memory means, wherein~~ said second writing process is only executed able in response to an indication included in ~~with~~ said storage control information that said contents are storable in said content storage means, and a store command received from said user ~~via said operation input~~ means for receiving a command manually input by a user, said store command being a command manually input by said user to direct storage of ~~to store~~ said contents that have been processed or executed in said content using process.

12. (Canceled)

13. (Currently Amended) A communication device comprising:

~~operation input~~ means for receiving a first command manually input by  
~~from a user;~~

~~content storage~~ means for storing contents;

a processor operable to receive contents;

after said contents are received, said processor ~~further operable to write~~  
said contents in said ~~content storage~~ means for storing contents in association with a  
first identifier flag indicating that said contents are to be stored temporarily in said  
~~content storage~~ means for storing contents;

in response to said contents being written in said ~~content storage~~ means  
for storing contents, said processor ~~further operable to process~~ or executes said  
contents automatically for trial use, absent receipt of any command initiated by a user;  
and

said processor stores said contents processed or executed by said  
processor in response responsive to a second command received from the user via said  
~~operation input~~ means for receiving a first command manually input by a user, ~~to store~~  
~~contents processed or executed by said processor;~~ [[,]]

said processor, ~~further operable~~ in accordance with storage control  
information associated with said contents, and in response to said second command, ~~to~~  
exchanges said first identifier flag for a second identifier flag that indicates said contents

are to be stored enduringly in said ~~content storage~~ means for storing contents  
enduringly.

14. (Currently Amended) A computer readable storage medium storing a program executed by ~~for enabling~~ a computer that includes ~~operation input~~ means for receiving a command from a user, and ~~content storage~~ means for storing contents, the computer readable storage medium comprising:

code executed as a receiving process ~~executable~~ to receive contents and storage control information;

code executed as a first writing process ~~executable~~ when contents are received in said receiving process, said first writing process ~~executed~~ able to write said contents in said ~~content storage~~ means for storing contents in association with a first predetermined identifier indicating that said contents are to be stored temporarily;

code executed as a content using process ~~executable~~ in response to said contents being written in said ~~content storage~~ means for storing contents in said first writing process, said content using process ~~executed~~ able to process or execute said contents automatically for trial use, absent receipt of any command initiated by a user; and

code executed as a second writing process ~~executable~~ in accordance with indication of said storage control information that said contents are storable, and in response to a store command received from said user via said means for receiving a command from a user to store contents processed or executed in said content using

process, said second writing process executed able to exchange said first predetermined identifier associated with said contents with a second predetermined identifier that indicates that said contents are to be stored enduringly in said ~~content~~ storage means for storing contents.

15. (Currently Amended) A communication device comprising:  
a memory that includes a first storage area configured for temporary storage of data, and a second storage area configured for longer term storage of data;  
a processor in communication with the memory, ~~and operable to wherein the~~ processor receives content from a wireless network;  
the processor ~~further operable to determines~~ if the received content is for trial use based on storage control information associated with the received content;  
the processor ~~further operable~~, in response to determination by the processor that the content is for trial use, ~~to temporarily stores~~ the content in the first storage area, and automatically ~~processes~~ or executes the temporarily stored content; and  
the processor ~~further operable~~, in response to determination by the processor that the content is not for trial use, ~~to stores~~ the content in the second storage area, and awaits receipt of a command manually initiated by a user to process or execute the ~~longer term stored content~~;  
the processor stores the temporarily stored content in the second storage area in response to indication in the storage control information that the temporarily stored content is storable in the second storage area and a user command, received from an

operation input unit that directs storage of the temporarily stored content.

16. (Currently Amended) The communication device of Claim 15, wherein the processor ~~is operable to exit~~ and automatically ~~deletes~~ the temporarily stored content in response to receipt of a user command to cease execution or processing of the temporarily stored content in the absence of an indication in the storage control information that the temporarily stored content is eligible for storage in the second storage area.

17. (Canceled)

18. (Currently Amended) The communication device of Claim 15, wherein the first storage area is a cache area of the memory, and the processor ~~is further operable to delete~~ data from the second storage area only in response to receipt of a user command to delete from the second storage area.

19. (Previously Presented) The communication device of Claim 15, wherein the first storage area and the second storage area are assigned areas of the memory.

20. (Previously Presented) The communication device of Claim 15, wherein the first storage area and the second storage area are identified with a respective predetermined indicator flag included in the data stored in the respective first and



second storage areas.

21. (Currently Amended) The communication device of Claim 15, wherein the processor ~~is operable to~~ automatically processes or executes the temporarily stored content to enable a user to demo the temporarily stored content.

22. – 24. (Canceled)

25. (Currently Amended) A communication device according to Claim 6, wherein said processor ~~is further operable to denies~~ denies ~~[[y]]~~ said contents from being read from said ~~cache memory~~ means for temporarily storing data and written in said content storage means in response to indication with said storage control information that said contents are not storable in said communication device.

26. (Currently Amended) A communication device according to Claim 6, wherein said processor ~~is further operable to writes~~ writes said contents into said content storage means in response to indication with said storage control information that said contents can be stored in said communication device.

27. (Canceled)

28. (Currently Amended) The computer readable storage medium program of Claim 11, wherein said content using process is operable executed to delete the said contents stored in said ~~cache memory~~ means for temporarily storing content, and said second writing process is not executed ~~able~~, in response to indication with said storage control information that said contents are for trial use only.

29. (Currently Amended) The computer readable storage medium program of Claim 11, wherein said receiving process is operable executed to receive an application description file as part of said contents, and said computer readable storage medium program further comprises ing code executed as a requesting process that is executable to extract an application location identifier from said application description file, and transmit a request for an application that is part of said contents, said application received with said receiving process.

30. (Previously Presented) The communication device of claim 13, wherein said storage control information is included with said contents received by said processor.

31. (Currently Amended) The communication device of claim 30, wherein said storage control information comprises a predetermined indication of whether the contents can be stored temporarily or enduringly in said ~~content storage~~ means for storing contents.

32. (Currently Amended) The communication device of claim 13, wherein ~~said processor further operable to exchange of~~ said first identifier flag for said second identifier flag comprises ~~said processor being operable to modification with said processor of~~ [[y]] a first predetermined value representative of said first identifier flag to a second predetermined value representative of said second identifier flag.

33. (Currently Amended) The communication device of claim 16, wherein ~~said the processor, prior to exit and automatic deletion of said the temporarily stored content, is further operable to prompts~~ said the user to store said the content in said the second storage area only in response to an indication in said content storage information that said the content is indicated as storable long term in said the communication device.

34. (Canceled)

35. (Currently Amended) A communication device according to Claim 6, wherein said processor ~~is further operable to awaits~~ receipt of said store command initiated by ~~from~~ said user of said communication device before ~~being operable to read~~ said contents are read from said ~~cache memory~~ means for temporarily storing data, and ~~to write~~ said contents are written in said content storage means.

36. (Currently Amended) The computer readable storage medium program of Claim 11, wherein said second writing process is further executed able to await receipt of said store command from said user of said communication device before being executed able to write said contents in said content storage means after said contents are read from said ~~cache-memory~~ means for temporarily storing content.

37. (Currently Amended) The communication device according to Claim 13, wherein said processor is ~~further operable to awaits~~ receipt of said second command received via said ~~operation input~~ means for receiving a first command from a user before being operable to store said contents are stored.

38. (Currently Amended) The computer readable storage medium of Claim 14, wherein said second writing process is executed able to await receipt of a store command received from said user via said ~~operation input~~ means for receiving a command from a user before being executed able to store contents processed or executed in said content using process.